NR.2 TYPE SPECIFICATION/CONTRACT BID SUBMISSION FORM

Adv.Nr.18/ESA-236

ITEM NR.	TRANSPORT WORK	THE LOADING PORT	THE DISCHARGING PORT	NET AMOUNT OF WORK (TONs)	UNIT PRICE OF BID (EUR/TON) or (USD/TON)*	TOTAL VALUE OF BID (USD) or (EUR) (A*B)	BANDIRMA LAYCAN
1.	MISC. BORON PRODUCTS	BANDIRMA (TÜRKİYE)	Ravenna / Italy	3454.00 (+/- %5 ETI option)			29–31 August 2018

NAME/TRADE NAME (1)

Stamp & Signature

NOTES:

- 1. This form is sign by authorized personal.
- 2. The bidders who are not in our repertoire declare to accept terms and condition of Nr.2 type specification/contract [that is find on website wwww.etimaden.gov.tr] on the Bid Submission Form and the requested documents and information that seen in same place by ETI would be deemed to have committed in order to recorded to repertoire.
- 3. The bids is given via the Bid Submission Form and this Form and its attachment that included details of shipping & transport are signed and cached.
- 4.The nomination of ship and the Bandirma ETA must be given within the bid submission form and the Bandirma ETA must be suitable to Bandirma LAYCAN.
- If the ship nomination & the Bandirma ETA are not given by bidders or the Bandirma ETA is not suitable to Bandirma Laycan, the bids will be disqualified.
- 5.The bidder/Contractor accepts all terms of Type 2 Specification/contract and the details of shipping and transport.
- 6.In case a bid is given by the real and legal persons which is notified as affiliation and/or connected with terrorist organization by security and intelligent authorities, their bids are invalid and if contract was signed, it will be cancelled and both of these situations firms will be banned. Bidder/Contractors do not have any right in these cases.

Please fill below items.

Vessel IMO:

Last six cargoes:

Loading Port ETA:

ENC: DETAILS OF SHIPPING & TRANSPORT

DETAILS OF SHIPPING AND TRANSPORT

1. The bidder will offer all of the work (items).

- $2. All \ of \ shipment \ shall \ be \ carried \ out \ from \ the \ loading \ ports/berths/terminals \ to \ unloading \ ports/berths/terminals \ by \ one \ ship \ and \ in \ the \ hold(s) \ of \ the \ ship \ and \ without \ a \ partial \ cargo.$
- 3. The unloading will be made to buyer's berth is notified Buyer's agency.
- 4.All or some cargo could be directly transshipped into barge(s) and/or coaster(s).
- 5.The bill of lading(s) shall have got the phrase as 'Clean on Board'. The B/L(s) shall be delivered to ETİ without delay.

6. The holds will be reinforced with hatch cover marine tape (in min. 150 mm widths and at min. 5 mm thickness) or with foam by the Contractor in order to minimize water leakage.

BASIS OF TRANSPORT : FIOST lashing/securing/dunnage

BANDIRMA PORT LAYCAN : 29 August 2018-31 August 2018

Contractor shall be obliged to make available at BANDIRMA PORT, the ship that is suitable to the loading port/berth/terminal and to the discharge port/berth/terminal between 29.08.2018 / 31.08.2018 following his reception of the transportation instructions from the ETİ.

ETA NOTICE: The ship shall report her estimated time of arrival (ETA) to loading and unloading ports at 7, 5, 3, 2 and 1 days intervals.

AMOUNT OF THE WORK : Total NET 3454.00 tons (+/- 5% ETİ's option)

DETAILS OF PRODUCTS

2000 tons KIR Etibor-48 (P1858437) in bulk,

72 tons BAN Etibor-48 (P1858438) in 1000 kg PP big bags with bottom valves, 1000 tons BAN NS Boric Acid (P1857436) in 1000 kg PP big bags with bottom valves, 100 tons BIG –75 mic Ground Colemanite (P1860434) in 1000 kg PP big bags without bottom valves, 32 tons BAN Borax Deca (P1851439) in 1000 kg PP big bags with bottom valves, 250 tons BAN Etibor-68 (P1859435) in 1000 kg PP+PE big bags with bottom valves,

- 2000 tons Etibor-48 will be loaded in Eti Maden Berth and the other products are loaded in one of Celebi Terminal's piers is determined by the Contractor's agency.
- The big bags should not be stowed on top of bulk.
- Big bags should be stowed in different hold.
- Big bags must be stored maximum 6 tiers.
- Product types and tonnages could be changed by ETİ within 5% option.
- The products are harmless, non-dangerous and non imo classed.

PACKING DIMENSION & BALE WEIGHT

Boric Acid in 1000 kg BB

(L/W/H): APPROXIMATELY (MTR) 1.12 X 1.12 X.1,20 (PACKAGE WEIGHT): APPROXIMATELY 1000 KG,

Ground Colemanite in 1000 kg BB and 1200 kg BB (L/W/H): APPROXIMATELY (METER) 1,15 X 1,15 X 0,95 (PACKAGE WEIGHT): APPROXIMATELY 1000 KG,

For Etibor-48 in 1000 kg BB

(L/W/H): APPROXIMATELY (METER) 1,10 X 1,10 X.1,12 (PACKAGE WEIGHT): APPROXIMATELY 1000 KG

For Etibor-68 in 1000 kg BB

(L/W/H): APPROXIMATELY (METER) 0,91 X 0,91 X.1,30 (PACKAGE WEIGHT): APPROXIMATELY 1000 KG

For Borax Deca 1000 kg BB

(L/W/H): APPROXIMATELY (MTR) 1.10 X 1.10 X.1,30 (PACKAGE WEIGHT): APPROXIMATELY 1000 kgs,

DETAILS OF SHIP

Built date of vessel must be max 15 years.

The vessel(s) has/have not carried any cargo of waste, derived products of petrol, petroleum and coal products, scrap, derived products of coal, refused-derived fuel (RFD) or solid recovered fuel and specified recovered fuel (SRF) during the last one year in addition to 2 Nr. Type Specification,

Shipowner(s) and ship(s) must be a member of IACS.

Vessel should not been under detention within a year.

The ship should be suitable for the characteristic and climatic condition of the loading and unloading ports and the ship should be have proper depth holds in order to use crane and its grabber.

The Holds of Ship: The holds of the ship(s) should be double-skinned and box-shaped type, horizontal and vertical bulk head type. The holds shall have steel floors. The holds should be at the same size with the hatches, in "OPEN HATCH" form. The hatches of holds must be MacGregor type or hydraulic end rolling type automatic hatches.

DETAILS OF LOADING PORT

Bandırma Eti Maden Berth (pier):

Length: approximately 180 meter Width: approximately 80 meter

Berth draft: SSW **approximately** 8,00 meter **1gsb (good, safe berth) & aa (always afloat)**

Loading capasity: approximately 3000 ton/24 hours (bulk)

Çelebi Terminal:

Berth Length & drafts						
Berth Nr.	Length approximately (meter)	Approximately DRAFT SSW (Summer Salt Water) (METER)				
2-3	284	9				
4-5	324	10				
6	130	10				
7-8	380	11 for 250 meter section of berth 10 for 130 meter section of berth				
9	204	10				
11	190	10				

Width: approximately 80 meter

1gsb (good, safe berth) & aa (always afloat)

Loading capasity: approximately 1000 tons/hours(Bigbag) & 400 tons/hours (Bigbag+pallets)

DETAILS OF DISCHARGING PORT

1 SAFE BERTH, RAVENNA

Unloading berth will be notified by the agency of discharging port.

Discharging rate:

approximately 1750 tons per WWD for bulk, approximately 750 tons per WWD for big bags

All discharging rates are WWD & SSHEX EIU

Discharging rates for bulk and bags are not be cumulative.

The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor.

If the ship stranded at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons, in this case costs, expenses borne by the Contractor.

THE LOADING AGENCY

The loading agency of Contractor must be localized in Bandırma and it must being worked as shipping agency under permit and license of TC Maritime Undersecretary and should have managed the loading operation of bulk/bags/palletized products.

THE UNLOADING PORT AGENCY OF BUYER

CASADEI & GHINASSI SRL

Via Teodorico, 7 48100 – Ravenna / Italy Phone: +39 0544 688046 gsm: +39 335 1849926