

## NR.2 TYPE SPECIFICATION/CONTRACT BID SUBMISSION FORM

Company Name:

AD Nr: 2022/EPOY-433A

ITEM NR	TRANSPORT WORK	THE LOADING PORT	THE DISCHARGING PORT	GROSS QUANTITY OF WORK (TONs) (A)	UNIT PRICE OF BID (EUR/TON) * (B)	TOTAL VALUE OF BID (EUR) (A*B)	Bandırma
							LAYCAN
1	MISC. BORON PRODUCTS	Bandırma	UDDEVALLA	2106.138 (+/- % 10 ETİ option)	0	0	12.12.2022-16.12.2022
2	MISC. BORON PRODUCTS	Bandırma	INKOO	3939.42 (+/- % 10 ETİ option)	0	0	12.12.2022-16.12.2022

Total: 6045.558

Total: 0

### NOTES :

- 1.This form is sign by authorized personal.
2. The bidders who are not in our repertoire declare to accept terms and condition of Nr.2 type specification/contract [that is find on website [www.etimaden.gov.tr](http://www.etimaden.gov.tr)] on the Bid Submission Form and the requested documents and information that seen in same place by ETİ would be deemed to have committed in order to recorded to repertoire.
- 3.The bids is given via the Bid Submission Form and this Form and its attachment that included details of shipping & transport are signed and cached.
- 4.The nomination of ship and the Bandırma ETA must be given within the bid submission form and the Bandırma ETA must be suitable to Bandırma LAYCAN. If the ship nomination & the Bandırma ETA are not given by bidders or the Bandırma ETA is not suitable to Bandırma Laycan, the bids will be disqualified.
- 5.The bidder accepts all terms of Type 2 Specification/contract and the details of shipping and transport.
- 6.In case a bid is given by the real and legal persons which is notified as affiliation and/or connected with terrorist organization by security and intelligent authorities, their bids are invalid and if contract was signed, it will be canceled and both of these situations firms will be banned. Bidder/Contractors do not have any right in these cases.

**VESSEL IMO:**

**LAST 4 CARGOES:**

**LOADING PORT ETA :**

**ENC : DETAILS OF SHIPPING & TRANSPORT**

**ADDITIONAL INF. FOR YOUR BID**

--

## **DETAILS OF SHIPPING AND TRANSPORT**

1. The bidder will offer all of the work (items).
2. All of shipment shall be carried out from the loading ports/berths/terminals to unloading ports/berths/terminals by one ship and in the hold(s) of the ship and without a partial cargo.
3. The unloading will be made to buyer's berth is notified Buyer's agency.
4. All or some cargo could be directly transshipped into barge(s) and/or coaster(s).
5. The bill of lading(s) shall have got the phrase as 'Clean on Board'. The B/L(s) shall be delivered to ETİ without delay.
6. The holds will be reinforced with hatch cover marine tape (in min. 150 mm widths and at min. 5 mm thickness) or with foam by the Contractor in order to minimize water leakage.

## **BASIS OF TRANSPORT: FIOST lashing / securing / dunnage**

### **Bandırma PORT LAYCAN : 12.12.2022-16.12.2022**

Contractor shall be obliged to make available at Bandırma port, the ship that is suitable to the loading port/berth/terminal and to the discharge port/berth/terminal between 12.12.2022-16.12.2022 following his reception of the transportation instructions from the ETİ

**ETA NOTICE : The ship shall report her estimated time of arrival (ETA) to loading and unloading ports at 7, 5, 3, 2 and 1 days intervals to ETİ and sales@etiproducs.com .**

**QUANTITY OF THE WORK : Total: 6045.558 (+/- 10% option)**

**THE DEADLINE FOR BIDDING : 29.11.2022 14:30:00**

**BUILT DATE OF VESSEL MUST BE MAX 25 YEARS**

## **DETAILS OF PRODUCT**

### **Uddevalla**

1000 tons KIR Etibor-48 in bulk,

40 tons EME Boric Acid NS in 500 kg LAM PP big bags with bottom valves,

60 tons BAN Etibor-48 in 25 kg FFS bags on 1200 kg pallets,

500 tons BIG Ground Colemanite (-75 micron) in 1000 kg LAM PP big bags without bottom valves,

400 tons KIR Etibor-68 in 1000 kg LAM PP big bags with bottom valves,

72 tons BAN Boron Oxide Glassy in 500 kg LAM PP big bags without bottom valves,

28.80 tons BIG Ground Colemanite (-75 micron) in 25 kg LAM PP bags on 1200 kg pallets,

**Total 2100.800 tons**

### **Inkoo**

2100 tons KIR Etibor-48 in bulk,

750 tons EME Boric Acid NS in bulk,

500 tons BIG Kestelek Colemanite (25-80mm) in 1250 kg LAM PP big bags with bottom valves,

63 tons BAN Boric Acid LS in 25 kg FFS bags on 1050 kg pallets,

400 tons BAN Etibor-68 in 1000 kg PP+PE big bags with bottom valves,

48 tons BAN Etibor-48 in 25 kg FFS bags on 1200 kg pallets,

72 tons BAN Boron Oxide Glassy) in 1000 kg PP+PE big bags with bottom valves,

**Total 3933 tons**

**TOTAL NET 6033.800 tons (+/- %10 option)**

**TOTAL GROSS 6043.958 tons (+/- %10 option)**

(\* Soda Ash will be loaded at Bandirma Port and the payment of freight rate invoice of soda ash will be done by Etiproducts Oy according to our Type 2 Specification.

**Total 3100 tons bulk Etibor-48** will be loaded in Eti Maden Berth and the other products are loaded in one of Çelebi Terminal's pier is determined by the Contractor's agency.

- The big bags should not be stowed on top of bulk.

Only Etibor-48 and Etibor-68 big bags can be stowed on top of Etibor-48 in bulk.

- The tarpaulin branda or thick nylon must be laid onto bulk cargo.
- Big bags should be stowed in different hold.

**The palletized products cannot be loaded onto/under the bagged products or bulk.**

The big bags should be loaded in 6 tiers maximum.

The palletized big bags should be loaded in 3 tiers maximum.

**The products are harmless, non-dangerous and non imo classed without bulk Boric Acid. Boric acid has no UN Number, and is not regulated under international rail, road or air transport regulations yet, it is classified as Group B under IMO resolution MSC.393 (95) for bulk product shipments.**

- Product types and tonnages could be changed by ETİ within 10% option.

When the bid is accepted by ETİ with certain tonnages, The option will be +/- 5%

#### **DETAILS OF SHIP**

There is no necessity for vessel crane.

Shipowner(s) and ship(s) must be a member of IACS or Turk Loydu.

Vessel should not been under detention within a year.

The ship should be suitable for the characteristic and climatic condition of the loading and unloading ports and the ship should be have proper depth holds in order to use crane and its grabber.

**The Holds of Ship:** The holds of the ship(s) should be double-skinned and box-shaped type and bulk head type. The holds shall have steel floors. The holds should be at the same size with the hatches, in "OPEN HATCH" form, with an automatic opening and closing feature.

#### **DETAILS OF LOADING PORT**

**Bandırma Eti Maden Berth (pier) :**

**Length: approximately 180 meter**

**Width: approximately 80 meter**

**Berth draft: SSW approximately 8,00 meter**

**1gsb (good, safe berth) & aa (always afloat)**

**Loading capacity: approximately 5400 ton/24 hours (bulk)**

**Çelebi Terminal :**

<b>Berth Length &amp; drafts</b>		
<b>Berth Nr.</b>	<b>Length approximately (meter)</b>	<b>Approximately DRAFT SSW (Summer Salt Water) (METER)</b>
2-3	284	9
4-5	324	10
6	130	10
7-8	380	11 for 250 meter section of berth 10 for 130 meter section of berth
9	204	10

11	190	10
----	-----	----

**Width: approximately 80 meter**

**1gsb (good, safe berth) & aa (always afloat)**

**Loading capacity: approximately 1500 tons/ 24 hours(Bigbag) & 750 tons/24 hours (Bigbag+pallets)**

### **DETAILS OF DISCHARGING PORT**

#### **Port of Uddevalla**

- A. For bulk: 1000tons / working hours(8 hours) weather permitted,
  - B. For big bags (1000kg): 500 big bags / working hours(8 hours)weatherpermitted,
  - C. For pallets (720kg, 1050kgand 1200kg): 200pallets/working hours(8 hours)weather permitted,
- Working hours of port: Mon-Fri 07:00-15:00 weather working hours SSHEX EIU

Max length of vessel 200 m (only daylight Pilotage and 2 tugs required).

Max height 43,0 m for Uddevalla entrance.

max loa 240 m,

max draft: 11.50 m

#### **Port of Inkoo**

- A. For bulk: 2000 mtons / per weather working day weather permitted,
  - B. For big bags (1000kg and 1200kg): 900 mtons / per weather working day weather permitted,
  - C. For pallets (720kg, 1050kg and 1200kg): 320 mtons / per weather working day weather permitted,
- Working hours of port: Mon-Fri 06:00-22:00 weather working hours SSHEX EIU

max draft 7,8 m at NWL and water density abt 1,005

max Loa and beam according to a.m max draft.

**If the ship stranded at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons, in this case costs, expenses borne by**

**the Contractor.**

**The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor. That's why, all costs and expenses borne by the Contractor in case of the ship stay at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons.**

#### **THE LOADING AGENCY**

**The loading agency of Contractor must be localized in Bandırma and it must being worked as shipping agency under permit and license of TC Maritime Undersecretary and should have managed the loading operation of bulk/bags/palletized products.**

#### **THE BUYER'S AGENCIES OF DISCHARGING PORTS**

##### **UDDEVALLA**

Swanfalk Shipping AB, + 46 522 913 00, mail@swanfalk.se

##### **INKOO**

Inkoo Shipping Oy Ab, Satamatie 454, 10210 INKOO

Phone: +358-207-631 500, Fax: +358-207-631 501

Website: www.inkooshipping.fi, Mail: [inkooshp@inkooshipping.fi](mailto:inkooshp@inkooshipping.fi)

Tel:+45 96 32 3100 Fax:+45 33 63 3072

Agency.aal@maerskbroker.com